Respiratory Substrates 5.2.2

24 January, 2018

5.2.2 Respiration

Respiration is the process whereby energy stored in complex organic molecules is transferred to ATP. ATP		provides the immediate source of energy for biological processes.	
	Learning outcomes	Additional guidance	
	Learners should be able to demonstrate and apply their knowledge and understanding of:		
(j)	the difference in relative energy values of carbohydrates, lipids and proteins as respiratory substrates		
(k)	the use and interpretation of the respiratory quotient (RQ)	To include calculating the respiratory quotient (RQ) using the formula:	

$$RQ = \frac{CO_2 \text{ produced}}{O_2 \text{ consumed}}$$

Respiratory Substrate = something that will be broken down to release energy for the synthesis of ATP

For example:

- Triglycerides are hydrolysed to fatty acids and glycerol glycerol can be converted into pyruvate, while the fatty acids can be converted into acetyl groups which are then picked up by CoA to make acetyl CoA.
- 2. Proteins first have to be hydrolysed to amino acids and then the amino acids have to be deaminated before being converted into pyruvate.
- Lipids store and release about twice as much energy as carbohydrates, while proteins are roughly equivalent to carbohydrates.

Respiratory Quotient (RQ)

Calculated by dividing the volume of carbon dioxide released by the volume of oxygen taken in during respiration of that particular substrate.

$$RQ = \frac{CO_2 \text{ produced}}{O_2 \text{ consumed}}$$

It takes six oxygen molecules to completely respire one molecule of glucose, resulting in the production of six molecules of carbon dioxide. This results in an RQ of 1.0

- Lipids contain a greater proportion of carbon-hydrogen bonds than carbohydrates which is why they produce more ATP in respiration.
- This means that they require relatively more oxygen to break them down and release relatively less carbon dioxide.
- This results in RQs of less than one for lipids.
- The structure of amino acids leads to RQs somewhere between carbohydrates and lipids.



Calculating the respiratory quotient

The oxygen taken in and carbon dioxide produced by a desert locust was measured experimentally under different conditions:

Conditions	at rest	in flight
Oxygen absorbed / au	10.5	160.0
Carbon dioxide produced/au	10.0	113.6

- Calculate the RQ of the insect at rest and in flight.
- 2 What does this suggest about the substrate being respired at rest and in flight?

- carbohydrates = 1.0
- protein = 0.9
- lipids = 0.7

Calculating the respiratory quotient

1 At rest 10/10.5 = 0.95 (1); in flight 113.6/160 = 0.71 (1).

2 Respiratory substrate changes (1); (from) mainly carbohydrate to carbohydrate and lipid (1)